

# The Easyrig Collection



The EASYRIG VARIO 5 has an adjustable weight range from 5-17kg (11-38 lbs). By turning the adjustment screw located on the back, you can easily change the tension / power of the line.

The EASYRIG VARIO 5 gives you the same advantages as our other Easyrig models with the added benefit of being able to adjust the line tension to adapt to many different cameras and configurations. The EASYRIG VARIO 5 still delivers the same steady hand held shots while relieving strain on your back, neck and shoulders. The load is redistributed to the hips allowing you to shoot hand held in comfort for hours.

THE EASYRIG VARIO 5 can be ordered with several different vest options:

“2.5” single shoulder vest

“Cinema 3” double shoulder vest

The new added support “Gimbal Rig” vest.

You can also order your EASYRIG VARIO 5 with three different arm options:

- Standard arm
- 130 mm (5in) extended adjustable arm
- 230 mm (9in) extended adjustable arm


Pat. pend.

Designed and made in Sweden – [www.easyrig.com](http://www.easyrig.com)

The **EASYRIG 3 Cinema** comes with two shoulder straps and carrying system that is stable on your body.

The Maximum load on the **EASYRIG 3 Cinema** is 25 kg (55 lbs) with the 850 N gas shock absorber.

You can order your **Easyrig 3 Cinema** with extended arm +130 mm (5 in) or +230 mm (9 in).





The **Easyrig 2,5** has one shoulder strap, hip belt and back pad.

**Easyrig 2,5** is our original model and is designed for productions where less support demands are required.

The Maximum load is 15 kg (30 lbs) with the 600 N gas shock absorber.

Can be ordered with +130 mm (5 in) or +230 mm (9 in) adjustable arm.





The **Easyrig Mini** has been created specifically with the latest generation of light weight cameras in mind and offers the same innovative features as its larger brothers – The **Easyrig 2.5** and the **Easyrig Cinema 3**.

Available in two models, The **Easyrig Mini** is suitable for cameras weighing up to 4 kg and the **Mini Strong** for heavier cameras between 4 and 6 kg.

**Technical details**

- Weight.....3,1 kg (6.8 lbs)
- Height (mounted) ..... 94 cm (37 in)
- Suspension line..... 100 cm (39 in)
- Capacity: Mini Standard.....2–4 kg (4–9 lbs)
- Mini Strong .....4–6 kg (9–13 lbs)
- Maximum waist, one size ..... 140 cm (55 in)

CAMERA WEIGHT AT +20°C										
KG	2	4	6	8	10	12	14	16	18	KG
STANDARD										
STRONG										
LBS	4	9	13	17	22	26	30	35	40	LBS
CAMERA WEIGHT AT 68°F										

# Gimbal Rig



The **Easyrig Gimbal Rig** is our new support system built for demands of using hand held Gimbal rigs. It fits the **Easyrig 3** and **Easyrig Vario 5** support bar

The **Easyrig Gimbal Rig** vest is designed with wider front supports that fit around the waist and over over the hips.

The new construction on the **Easyrig Gimbal Rig** provides superior lower back support that allows weight loads to be carried further away from the body.

You can also order your The **Easyrig Gimbal Rig** with three different arm options:

- Standard arm
- 130 mm (5in) extended adjustable arm
- 230 mm (9in) extended adjustable arm

Designed and made in Sweden – [www.easyrig.com](http://www.easyrig.com)