


Catalog 2012/2013

MEDIA LIGHTS

LED BROADCAST LIGHTS



MediaLights

Research and development are always highly emphasized in order to follow the latest steps in professional LED studio light industry. Socanland is the first one in China to develop Bi-color LED studio light series and the first in the world to develop 300 x 600 (90W) LED studio light series.

Mediatec GmbH
Widderdorfer Str. 217
50825 Köln

SPECIFICATION	YSJT-L322 562-10P YSJT-L322 562-10S
Art of Light	Bi-Color Headlight
Color Temperature	3200K & 5700K
LED Lights	135 + 147
Power	max. 10W
Input Voltage	6V - 12V DC
Lighting Distance	>600 lux, 1,5 m
Beam Angel	60°
Dimmer	0 - 100 %
Fix Type	on Camera
Battery Connector	Sony or Panasonic DV and Tap Connector
Size Weight	105x143x50mm 0,4Kg
Operation Temperature	-10°C to °30C



3200K - 5700K

VIDEO:

www.youtube.com/MediatecGmbH



SPECIFICATION	YSMG-L322 562-30C	YSBJ-L322-30CT YSBJ-L562-30CD	YSMG-L322-60CT Nova YSMG-L562-60CD Nova
Art of Light	Bi-Color	Bi-Focus Single Color	SuperPower LED, Single Color
Color Temperature	3200K - 5700K	3200K or 5700K	3200K or 5700K
LED Lights	2x 338 (676)	2x 338 (676)	1x 676
Input Power	max. 28W	max. 28W	max. 50W
Input Voltage	12V - 17V DC	12V - 17V DC	12V - 17V DC
Lighting Distance	>1000lux, 1.5m	>1000lux, 1.5m	>2100lux, 1.5m
Beam Angel	60°	30° - 60°	60°
Dimmer	0 - 100 %	0 - 100 %	0 - 100 %
Fix Type	Tripod or Hang	Tripod or Hang	Tripod or Hang
Battery Connector	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter
Size Weight	240x240x50mm 1,8Kg	240x240x50mm 1.8Kg	240x240x50mm 1.8Kg
Operation Temperature	-10°C to °30C	-10°C to °30C	-10°C to °30C


OPTIONAL FOR MEDIA LIGHT-M:



Adapter with
V-Mount or AB Holder



Barndoor-M



DMX-Control



Stabiler Lichtkoffer für
2x MediaLight-M,
Softbox und Netzteil

Innenmaße: 80x36x10 cm

MEDIA LIGHT-S



OPTIONAL FOR MEDIA LIGHT-S:



VJ-Set incl. NP-F550, Charger,
Adapter Cable, Car Charger



AB Tap Connector

3200K - 5700K



VIDEO:
www.youtube.com/MediatecGmbH



SPECIFICATION	YSMG-L322 562-50CTD Digital	YSMG-L322-50CT YSMG-L562-50CD	YSMG-L322 562-50CTD Hybrid	YSMG-L562-100CD Nova
Art of Light	Bi-Color	Bi-Focus Single Color	Bi-Color	SuperPower LED Single Color
Color Temperature	3200K - 5700K digital adjustable + Display	3200K or 5700K	3200K - 5700K manuel adjustable + Display	5700K
LED Lights	2x 578 (1156)	2x 578 (1156)	2x 578 (1156)	1x 1156
Input Power	max. 36W	max. 36W	max. 36W	max. 65W
Input Voltage	12V - 17V DC	12V - 17V DC	12V - 17V DC	12V - 17V DC
Lighting Distance	>1700lux, 1.5m	>1700lux, 1.5m	>1700lux, 1.5m	>3000lux, 1.5m
Beam Angel	60°	30°- 60°	60°	60°
Dimmer	0 - 100 % digital adjustable + Display	0 - 100 %	0 - 100 % manuel adjustable + Display	0 - 100 %
Fix Type	Tripod or Hang	Tripod or Hang	Tripod or Hang	Tripod or Hang
Battery Connector	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter
Size Weight	300x300x50mm 2.5Kg	300x300x50mm 2.5Kg	300x300x50mm 2.5Kg	300x300x50mm 2.5Kg
Operation Temperature	-10°C to °30C	-10°C to °30C	-10°C to °30C	-10°C to °30C


OPTIONAL:



Adapter with V-Mount or AB Holder



Softbox Acrylic Glass 30x30 cm with Mounting Bracket



Barndoor-L



DMX-Control



Stabiler Lichtkoffer für 1x MediaLight-L, Softbox und Netzteil
Innenmaße: 51x42x10 cm

3200K - 5700K



VIDEO:
www.youtube.com/MediatecGmbH





SPECIFICATION	YSMG-L322 562-100CTD Digital	YSMG-L322-100CT	YSMG-L562-100CD
Art of Light	Bi-Color	Single Color	Single Color
Color Temperature	3200K - 5700K digital adjustable + Display	3200K	5700K
LED Lights	2x 1156 (2312)	2x 1156 (2312)	2x 1156 (2312)
Input Power	max. 90W	max. 90W	max. 90W
Input Voltage	12V - 17V DC	12V - 17V DC	12V - 17V DC
Lighting Distance	>3100lux, 1.5m	>3100lux, 1.5m	>3100lux, 1.5m
Beam Angel	60°	60°	60°
Dimmer	0 - 100 % digital adjustable + Display	0 - 100 %	0 - 100 %
Fix Type	Tripod or Hang	Tripod or Hang	Tripod or Hang
Battery Connector	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter	V-Mount, Anton Bauer or Adapter
Size Weight	300x600x50mm 4,8Kg	300x600x50mm 4.8Kg	300x600x50mm 4.8 Kg
Operation Temperature	-10°C to °30C	-10°C to °30C	-10°C to °30C

OPTIONAL:



Adapter with V-Mount or AB Holder



Softbox Acrylic Glass 30x60 cm with Mounting Bracket



Barndoor-XL



DMX-Control

MORE INFORMATION:

www.mediatec.de
webshop.mediatec.de



VIDEO OF MEDIALIGHTS:
www.youtube.com/MediatecGmbH

M E D I A T E C[®]



video audio digital studio

Mediatec GmbH
Widdersdorfer Straße 217
D-50825 Köln
Germany

Tel: +49(0) 221 8880 0
Fax: +49(0) 221 8880 119
E-Mail: info@mediatec.de

